

Figures

TABLE 1. Summary of data




Fig 1




Fig 2

09631567 043001
T00E40 25E78960

www.acme.com

Select Application

Maintain Asset Catalog

Maintain Vendor Database

...

Fig 3

www.acme.com/login

Asset Catalog

User Name _____

password _____

Submit

Fig 1




Fig 5

www.acme.com/creatasset

Asset Catalog

Main Menu

Asset ID

Asset Type

Asset Description

Asset Price

:

:

Create Asset

Fig 6




Fig 7




Fig 8




Fig 7




Fig 10




Fig 11





Fig 12



— Fig 13




Fig 14




Fig 15




Fig 16




Fig 17

```

graph TD
    Start([Translator:  
get method]) -- 01 --> SetScope[set scope to  
interaction]
    SetScope -- 02 --> IsScopeInCommand{scope in  
command}
    IsScopeInCommand -- Y -- 03 --> SetDefinedScope[set scope to  
defined scope]
    IsScopeInCommand -- N --> IsAttributeInScope{attribute  
in  
scope}
    IsAttributeInScope -- N -- 05 --> CreateAttributeInScope[create attribute  
in scope]
    IsAttributeInScope -- Y --> InvokeGetMethod[invoke  
get method]
    CreateAttributeInScope --> InvokeGetMethod
    InvokeGetMethod -- 06 --> TranslateAttribute[translate  
attribute]
    TranslateAttribute -- 07 --> StoreAttributeValue[store  
attribute  
value]
    StoreAttributeValue -- 08 --> Return([return])
  
```

Page54 of 54